



Established in 1975

www.KingMaterialsHandling.com

Free Shipping For Online Orders

catalogue.kingmaterialshandling.com

KEEP COOL AND PRODUCTIVE WITH 

OUTDOOR OSCILLATING WALL FAN

- 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- All-metal construction
- Chrome grill stand and base painted black
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof
- Drive System: Direct Drive



Model No.	Diameter"	High	CFM Med	Low	PROMO PRICE
EB115	30	7200	5500	3800	325.00

TURBO FAN

- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W
- No. of Speeds: 3



Model No.	Diameter"	High	CFM Med	Low	PROMO PRICE
EB117	20	2600	2100	1800	65.99

OSCILLATING PEDESTAL FAN

- All-metal construction
- 6.5' SJT power cord
- Features adjustable height and a heavy-duty round base for added stability
- Open motor & direct drive
- Horse Power: 1/16 HP
- Motor: 120 V/60 Hz
- No. of Speeds: 3



Model No.	Diameter"	High	CFM Med	Low	PROMO PRICE
EB239	22	4500	3700	2900	169.00

DUAL-POSITION FOLDABLE PEDESTAL FAN

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- Motor: 120 V/60 Hz
- Drive System: Direct Drive
- Non-Oscillating



Model No.	Diameter"	High	CFM Med	Low	PROMO PRICE
EB116	24	7000	4500	3500	299.00

Click To View This Page Online

LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord



EA284



EA282

Model No.	Description	HP	CFM High	CFM Med	CFM Low	PROMO PRICE
OSCILLATING, 3 SPEEDS						
EA282*	26" Pedestal	1/4	7525	6060	4050	275.00
EA283*	30" Pedestal	1/3	8778	7500	6780	299.00
EA284	26" Wall Mount	1/4	7525	6060	4050	230.00
EA654	30" Wall Mount	1/3	8775	7500	6780	255.00
NON OSCILLATING, 2 SPEEDS						
EA657*	26" Pedestal	1/4	7700	-	6060	230.00
EA571*	30" Pedestal	1/3	8000	-	7000	255.00
EA655	26" Wall Mount	1/4	7700	-	6060	190.00
EA656	30" Wall Mount	1/3	8000	-	7000	210.00



* Features adjustable height and a heavy-duty round base for added stability

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2



EA645



EA646

Model No.	Description	HP	CFM High	CFM Low	PROMO PRICE
OSCILLATING					
EA643*	24" Pedestal	1/4	11 800	7760	359.00
EA647*	30" Pedestal	1/3	13 200	6700	399.00
EA645	24" Wall Mount	1/4	11 500	7680	309.00
EA649	30" Wall Mount	1/4	10 780	7760	339.00
NON-OSCILLATING					
EA642*	24" Pedestal	1/4	11 800	7760	309.00
EA646*	30" Pedestal	1/4	10 780	7440	339.00
EA644	24" Wall Mount	1/4	11 500	7680	259.00
EA648	30" Wall Mount	1/4	10 780	7440	289.00


* Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"



EA667



EA666

Model No.	Description	Motor Type	CFM High	CFM Med	CFM Low	PROMO PRICE
EA666	Pedestal	Open	13 200	7321	4758	465.00
EA667	Wall Mount	Fully Enclosed	13 400	7805	5070	415.00

20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
 - All-metal construction
- Chrome grill, black painted base
 - Head tilting capability of 360°
 - Adjustable height
- 6' SJT type power cord



Model No.	High	CFM Med	CFM Low	PROMO PRICE
EA289	5950	4550	3850	189.00

HIGH VELOCITY OSCILLATING WALL FAN




- Adjustable tilting fan head
- Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
 - Diameter: 20"
 - No. of Speeds: 3
 - Voltage: 120 V
 - HP: 1/5

Model No.	High	CFM Med	CFM Low	PROMO PRICE
EA660	4800	4500	4000	155.00



24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord



Model No.	High	CFM Med	CFM Low	PROMO PRICE
EA476	10 760	7770	7040	245.00

Click To View Online

Click To View Online

HIGH VELOCITY FLOOR FAN

- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- No. of Speeds: 3
- HP: 1/5



Model		CFM			PROMO PRICE
No.	Dia."	High	Med	Low	
EA661	20	4900	4400	4150	125.00

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz

EA778



Model		No. of		CFM			PROMO PRICE
No.	Dia."	HP	Speeds	High	Med	Low	
EA778	24	3/10	3	7770	6000	4500	179.00
EB114	30	1/3	2	9500	-	6700	239.00

EA290



FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
- 3-prong plug with ground industrial wire
- Rotates up for vertical airflow
- Chrome finish



Model		CFM			PROMO PRICE
No.	Dia."	High	Med	Low	
EA528	16	2370	1950	1560	89.95
EA290	18	4725	3850	2975	99.95

LIGHT INDUSTRIAL DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord

EA286



Model		CFM			PROMO PRICE
No.	Dia."	HP	High	Low	
EA286	28	2/5	8050	6650	345.00
EA288	36	3/5	11200	9100	399.00

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- Fully enclosed motor
- All-metal construction
- 9' power cord
- HP: 3/4
- No. of Speeds: 2
- Motor: 120V/60 Hz



Model		CFM		PROMO PRICE
No.	Dia."	High	Low	
EA662	42	17900	7400	735.00

RECHARGEABLE INDOOR/OUTDOOR FAN

- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- USB charging port on the control box can be used to recharge digital devices
- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor
- Voltage: 24 V
- Power: 25 W
- RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A



Model		CFM		PROMO PRICE
No.	Dia"	High	Low	
EA828	12	1600		165.00

Click To View This Page Online

OUTDOOR MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3
- Can be used indoor/outdoor



Model No.	High	CFM Med	Low	PROMO PRICE
EA829	7200	5470	3780	399.00

OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model No.	High	CFM Med	Low	PROMO PRICE
EA779	7200	5470	3780	369.00

OSCILLATING DESK FANS WITH PUSH BUTTONS



EA305



- 3-speed push button control
- Rotating or fixed air direction
- Portable and easy to assemble
- Topple resistant base

Model No.	Dia."	PROMO PRICE
EA305	12	31.95
EA306	16	39.95

20" BOX FAN

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
- Top-mounted controls



Model No.	PROMO PRICE
EA527	45.99

16" WALL MOUNT OSCILLATING FAN

- Rotating or fixed air direction
- Easy to assemble
- Remote with timer mode included
- 3 speed with Eco mode feature
- Motor: 120 V/55 Hz



Model No.	High	CFM Med	Low	Eco	PROMO PRICE
EA526	1600	1400	1220	940	82.95

OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble



Model No.	Dia."	PROMO PRICE
EA658	16	31.99
EA551	18	47.99

Click To View This Page Online

DEHUMIDIFIER

- Water bucket full indicator
- Omni-directional casters
- 24-hour timer
- 6 L tank capacity
- Auto restart function and auto defrosting
- Energy-Star Certified
- Washable filter
- LED display
- Coverage: 4000 sq. ft.
- Capacity: 50 Pt.



Model No.
EA831

PROMO PRICE
399⁰⁰



ELECTRONIC WINDOW HORIZONTAL AIR CONDITIONER

- For 300 to 350 sq.ft rooms
- 3 fan speeds
- Washable filter
- Remote control included
- **Includes:** Window filler panel, mounting hardware
- BTU Rating: 8000
- 18-1/2" W x 15-11/16" D x 13-3/8" H
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0



Model No.
EB119

PROMO PRICE
399⁰⁰



EA830



MOBILE 3-IN-1 AIR CONDITIONERS

- 3-in-1 system (A/C, fan, and dehumidifier)
- Features Control panel with LED display on unit with remote control
- Equipped with casters
 - 24 hour timer
- Window kit included
 - Colour: White
 - Voltage: 115 V
 - Frequency: 60 Hz



EB118



Model No.	W"	x	Dim. D"	x	H"	BTU Rating	PROMO PRICE
EB118	11-13/16	x	12-5/8	x	27-3/16	8000	499.00
EA830	17-1/3	x	12-4/5	x	27-1/3	12000	639.00

ELECTRONIC WINDOW HORIZONTAL AIR CONDITIONER

- For 450 to 550 sq.ft rooms
- 3 fan speeds
- Washable filter
- Remote control included
- **Includes:** Window filler panel, mounting hardware
- BTU Rating: 12000
- Overall Dim.: 19" W x 14-19/32" D x 21-13/32" H
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0



Model No.
EB236

PROMO PRICE
499⁰⁰



6" CLIP-ON & DESK FAN

- 2-speed motor
- Convertible clip or desk feature
- Tilting head

PROMO PRICE
18⁹⁵

Model No.
EA304



Desktop Base



OSCILLATING TOWER FAN

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- No. of Speeds: 3
- Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 32"



Model No.	Dia."	PROMO PRICE
EA827	6	53.50



Click To View This Page Online